SCP SCIENCE

SECTION 1	Identification	
Product Name:	PlasmaCAL single element calibration standard for ICP-AES and ICP-MS	
Matrix:	4% nitric acid	
containing the following elements:		
	1000 μg/ml: Chromium (Cr)	

Catalogue Number: 140-051-24x

Recommended Use: Laboratory Chemical Instrument Calibration. This product is intended for laboratory testing. This product shall be used by trained personnel only. Restriction on use: Do not use this product outside of a laboratory. This product should not be used by untrained personnel.

Manufacturer/ Supplier:

Canada/ Internationa	I USA	France	Germany
21 800 Clark-Graham	3rd Party Distribution Center	12 Ave du Québec	Alte Marktoberdorfer
Baie d'Urfé, (Montreal)	348 Route 11, Champlain,	Bât Iberis, SILIC 642	Straße 14, 87616
Québec, H9X 4B6	N.Y. 12919-4816	91965 Courtaboeuf,	Marktoberdorf
Canada	USA	France	Germany
Phone: +1 (800) 361-6820	Phone: +1 (800) 361-6820	Phone: +33 (0) 1 69 18 71 17	Phone: +49 (0) 8342-89560-61
Fax: +1 (800) 253-5549	Fax: +1 (800) 253-5549	Fax: +33 (0) 1 60 92 05 67	Fax: +49 (0) 8342-89560-69
CORPORATE : Phone	: +1 (514) 457-0701 Fax: +1 (514) 457-4499	www.scpscience.com	sales@scpscience.com

In the event of a transport emergency, call Chemtrec (24 h): 1-703-741-5970 (CHEMTREC) In the event of medical emergency, call your local poison centre or equivalent.

SECTION 2 Hazards Identification

	Eme	rgency Overview
		GHS
Harmonized Classi	fication – Annex VI of Regulation	(EC) No 1272/2008 (CLP Regulation)
Classification:	Irritant- Category 2	Pictograms:
Signal Word: Warning		
Hazard Statements		
H315: Causes sk	in irritation.	
H319: Causes se	rious eye irritation.	
Precautionary S	Statements	
P264: Wash hands t	thoroughly after handling.	
P280: Wear protecti P302+P352: IF ON	ive gloves/protective clothing/eye pro I SKIN: Wash with plenty of soap and	· · ·

P332+P313: If skin irritation occurs: Get medical advice/attention.P337+P313: If eye irritation persists: Get medical advice/attention.P362: Take off contaminated clothing and wash before reuse.

Other Hazards: No information available

SECTION 3	Composition and Information on Ingredients		
CAS No.	Chemical Name	Percent	Classification ((EC) No 1272/2008)
7697-37-2	Nitric acid	4%	H272 - Oxid. Liq. 2
			H314 - Skin Corr. 1A
7789-02-8	Chromium (III) nitrate nonahydrate	0.77%	H272 - Oxid. Liq. 2
			H315 - Skin Irrit. 2
			H319 - Eye Irrit. 2
7732-18-5	Water	95-100%	Not Classified
The properties also contains water and trace amounts (< 0.0019) of various metals and metallic solts			

The preparation also contains water and trace amounts (< 0.001%) of various metals and metallic salts.

In case of contact:		
Eye:	Immediately flush eyes with plenty of water for at least 15 minutes, holding the eyelids open. Neutral saline may be used as soon as it is available. Do NOT interrupt flushing. If irritation persists, repeat flushing. Get medical aid immediately.	
Skin:	Immediately flush skin with plenty of water for at least 30 minutes while removing contaminated clothing and shoes. Do NOT interrupt flushing. Get medical aid immediately.	
Ingestion:	For a precaution: Never give anything by mouth to an unconscious person. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Do NOT induce vomiting. Get medical aid immediately.	
Inhalation:	: Take proper precautions to ensure your own safety before attempting rescue (e.g., wear appropriate protective equipment). If breathing, move person into fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid immediately.	
Most import	ant Causes skin irritation.	
Symptoms:	Causes serious eye irritation.	
Notes to Physician/D	Treat symptomatically and supportively.	

SECTION 5 Fire-fighting Measures

Fire Hazard Summary:

Product does not burn. May react with many metals. Generates heat when mixed with water. Firefighters should wear selfcontained respirator and full protective gear. During a fire, irritating and toxic gases may be generated by thermal decomposition or combustion.

Extinguishing Media:	Whichever is most appropriate for the surrounding fire. Use flooding quantities of water spray or fog.	
Extinguishing Media to be Avoided:	DO NOT use dry chemical powders containing sodium bicarbonate, potassium bicarbonate, sodium carbonate, calcium carbonate, ammonium phosphate, or ammonium sulfate. Nitric acid may react violently with these extinguishing agents.	
Combustion and Ther Decomposition Produ	Nitrogen oxides	
Special protective equipment and precautions for fire- fighters	Firefighters should wear self-contained respirator and full protective gear.	

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD IDENTIFICATION

Health:	1 – Exposure would cause irritation with only minor residual injury.
Flammability:	0
Reactivity:	0
Special Hazard:	

SECTION 6 Accidental Release Measures

Spill Precautions:

Personal precautions: Use personal protective equipment.

Protective equipment and emergency procedures: Ensure adequate ventilation. Evacuate personnel to safe areas.

Clean-up:

SMALL SPILLS: Soak up spill with absorbent material which does not react with spilled chemical. Put material in suitable, covered, labeled containers. Flush area with large quantities of water. Contaminated absorbent material will pose the same hazards as the spilled product.

LARGE SPILLS: Evacuate area. Contact fire and emergency services and supplier for advice.

SECTION 7 Handling and Storage

Handling:

Use only with adequate ventilation and/or personal protective equipment. Wash thoroughly after using. Avoid contact with skin and eyes. Avoid generating vapors or mists. Avoid contact with all incompatible materials. When diluting, always add acid to cold water slowly and in small amounts. Never use hot water and never add water to the acid.

Storage:

Store in a tightly closed container in a cool, well ventilated and dry area.

Store at room temperature, unless stated otherwise.

Store away from incompatible materials, heated areas, sparks, and flames. Do not store in metal or glass containers.

Additional Information:

The mixture is intended for use in a laboratory. The mixture as supplied is stable under normal laboratory conditions.

SECTION 8 Exposure Controls and Personal Protection

EXPOSURE GUIDELINES

Nitric Acid

NIOSH:	2 ppm TWA (5 mg/m ³ TWA); 4 ppm STEL (10 mg/m ³ STEL)
ACGIH:	2 ppm TWA (5.2 mg/m ³ TWA); 4 ppm STEL (10 mg/m ³ STEL)
OSHA Final PEL:	2 ppm TWA (5 mg/m ³ TWA)

Preventive Measures:

Eye / Face protection:	Eye-wash station in proximity. Avoid contact with skin and eyes.	
Skin protection:	Wear suitable clothing and gloves. Refer to OSHA's protection regulations in 29 CFR 1910.133 or European Standard EN166.	
Inhalation / Ventilation:	Use in a chemical fume hood.	
Personal Hygiene:	Do not eat or drink in work areas. Wash hands thoroughly after handling this material. Maintain good housekeeping. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	
Appropriate Engineering Controls:	Use laboratory fumehoods in case of insufficient ventilation.	

SECTION 9 Physical and Chemical Properties

Information on basic physical and chemical properties		
Physical State	Liquid	
Appearance	Grayish	
Odor	Odorless	
Property Values		
pH VALUE	<1	
Melting Point/Range	No data available	
Boiling Point/Range	c. 100 °C	
Evaporation rate	No data available	
Flammability (solid, gas)	No data available	
Vapor Pressure	No data available	
Vapor Density	No data available	
Relative Density	c. 1.023	
Specific Gravity	No data available	
Water Solubility	Soluble	
Partition coefficient: n-	No data available	
octanol/water		
Auto ignition Temperature	No data available	
Decomposition Temperature	No data available	
Viscosity	No data available	

SECTION 10 Stability and Reactivity

Reactivity:	No data available.
Chemical stability:	Stable at room temperature and conditions of use.
Incompatible Materials:	Reacts with bases.
Conditions to avoid:	High temperatures.
Hazardous Decomposition	Nitrogen oxides.
Products:	
Hazardous Polymerization:	None reported.

SECTION 11 Toxicological Information

	Potential Health Effects	
Eye:	May cause eye irritation or burns.	
Skin:	May cause skin irritation or burns.	
Ingestion:	May be harmful or fatal if ingested.	
Inhalation:	None expected.	
	Effects of Short-Term (Acute) Exposure	
Nitric Acid		
LD50/LC50:	Fatal dose for humans: 5-10 ml conc. HNO_3	
	LC50 (lethal concentration, 50% kill) Inhalation, rat – 260 mg/m ³ /30M	
Effects of Long-Term (Chronic) Exposure		
Respiratory or skin	No information found.	

sensitization:			
Germ Cell Mutagenicity:	No component of this product at levels greater than 0.1% is classified as a mutagen.		
Reproductive Toxicity:	No component of this product at levels greater than 0.1% is classified for reproductive toxicity.		
STOT- Single exposure	Causes severe skin burns and eye damage (Nitric Acid).		
STOT- Repeated exposure	No definitive information available on target organs toxicity, repeated exposure.		
Aspiration Hazard:	No information found.		
Carcinogenicity:	Not listed as a carcinogen by NTP, or CA Prop 65.		
	Component of this preparation listed in the National Toxicology Program ARC (12th Report on carcinogens): None.		
	Component of this preparation appearing in the list (June 22, 2012) of chemicals known to the state of California to cause cancer or reproductive toxicity (California Proposition 65): None.		
	No evidence of cancer has been demonstrated for this product.		
Signs and symptoms of exposure:			
Eye:	In contact with the eyes, nitric acid produced severe burns. Depending on the concentration and duration of contact with the eye, these burns may result in adhesions between tarsal and bulbar conjunctivae, permanent corneal opacification, and visual impairment leading to blindness.		
Skin:	Dilute solutions of nitric acid produced mild epidermal irritation and can harden the epithelium without producing corrosion seen after contact with more concentrated solutions.		
Inhalation:	Symptoms from breathing in (inhaling) concentrated nitric acid may include: bluish colored lips and fingernails, chest tightness, choking, coughing, coughing up blood, dizziness, low blood pressure, rapid pulse, shortness of breath, and weakness.		
Ingestion:	Symptoms from swallowing nitric acid may include: severe abdominal pain, burns to skin or mouth, fever, severe mouth pain, rapid drop in blood pressure, throat swelling (which leads to breathing difficulty), severe throat pain, and bloody vomiting.		

SECTION 12 Ecological Information

Eco- toxicity: no information about this preparation is available.

Mobility in soil: no information about this preparation is available.

Persistance and degradability: no information about this preparation is available.

Bioaccumulative potential: no information about this preparation is available.

SECTION 13 Disposal Considerations

Product disposal:

The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material, run off and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional and local authority requirements. Contact a licensed professional waste disposal service to dispose of this material.

Review federal, provincial and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions.

Contaminated packaging: Dispose of as unused product.

SECTION 14Transport InformationIDMG (sea):UN-Number:3264Packing group:III		
UN-Number: 3264 Class: 8		
Packing group: III		
Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid)		
Marine pollutant: No		
ADR/DOT (road):		
UN-Number: 3264 Class: 8		
Packing group: III		
Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid)	Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid)	
Marine pollutant: No		
ICAO/IATA (air):		
UN-Number: 3264 Class: 8		
Packing group: III		
Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid)		
Marine pollutant: No		

SECTION 15	Regulatory Information
US Federal:	
TSCA	Listed on the TSCA Inventory (Nitric Acid 70%).
US State:	
California Prop. 65	See Section 11.
<u>Canada</u>	
WHMIS Classification	ns: E – Corrosive material
EU	
Classifications:	Xi Irritant
Risk Phrase(s):	R36/38- Irritating to eyes and skin.

SECTION 16 Other Ir	nformation
Revised:	April 05, 2019
Date of previous revision (s):	November 07, 2017
Hazard Indications (H) Regulatio Oxid. Liq. 2 Skin Corr. 1A	on (EC) No 1272/2008 quoted in Sections 3. Oxidizing Liquids, Oxidizing Solids Skin Corrosion/ Irritation

H272	May intensify fire; oxidizer.
H314	Causes severe skin burns and eye damage.

The statements contained herein are offered for informational purposes only and are based upon technical data. SCP SCIENCE believes them to be accurate but does not purport to be all-inclusive. The above-stated product is intended for use only by persons having the necessary technical skills and facilities for handling the product at their discretion and risk. Since conditions and manner of use are outside our control, we make no warranty of merchantability or any such warranty, express or implied with respect to information and we assume no liability resulting from the above product or its use. Users should make their own investigations to determine suitability

Email: sales@scpscience.com

of information and product for their particular purposes.

This safety data sheet has been prepared in conformance with GHS (Global Harmonised System) Guidance on the Preparation of Safety Data Sheets (SDS) Copyright © United nations, 2011.

Email: sales@scpscience.com