

Safety Data Sheet

according to 29 CFR 1910.1200(g)

PlasmaCAL ICP/ICPMS Standard – Nickel 1000 mcg/ml (Ni)

Revision date: 04/16/2025

Product code: 140-051-280

Page 1 of 10

1. Identification

Product identifier

PlasmaCAL ICP/ICPMS Standard – Nickel 1000 mcg/ml (Ni)

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Laboratory chemicals

Only for laboratory and analysis purposes.

Uses advised against

Do not use for private purposes (household).

Details of the supplier of the safety data sheet

Details of the supplier of the safety data sheet

Company name: Analytichem Services
Unipessoal Lda
Street: Rua de Júlio Dinis 676 7º
Place: P-4050-320 Porto
Contact person: SDS service department
E-mail: SDS@analytichem.com
Responsible Department: SDS service department

Supplier or manufacturer details

Company name: AnalytiChem Canada Inc.
Québec, CANADA
Street: 21800 Clark Graham Ave
Place: CDN-H9X 4B6 Baie-D'Urfé
Telephone: +1 (800) 361-6820
Contact person: SDS service department
E-mail: SDS@analytichem.com
Responsible Department: SDS service department
Telefax: +1 (800) 253-5549

Emergency phone number: 1-703-741-5970 (CHEMTREC)

Further Information

No data available

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Corrosive to metals: Met. Corr. 1

Carcinogenicity: Carc. 2

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Respiratory or skin sensitization: Skin Sens. 1

Label elements

29 CFR Part 1910.1200

Signal word: Danger

Pictograms:



Safety Data Sheet

according to 29 CFR 1910.1200(g)

PlasmaCAL ICP/ICPMS Standard – Nickel 1000 mcg/ml (Ni)

Revision date: 04/16/2025

Product code: 140-051-280

Page 2 of 10

Hazard statements

May be corrosive to metals
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye damage
Suspected of causing cancer

Precautionary statements

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep only in original container.
Avoid breathing dust/fume/gas/mist/vapors/spray.
Wash hands and face thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin: Wash with plenty of water.
Take off contaminated clothing and wash it before reuse.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
If exposed or concerned: Get medical advice/attention.
Absorb spillage to prevent material damage.
Store locked up.
Store in corrosive resistant container with a resistant inner liner.
Dispose of contents/container to an appropriate recycling or disposal facility.

Hazards not otherwise classified

No data available

3. Composition/information on ingredients

Mixtures

Relevant ingredients

| CAS No | Components | Quantity |
|-----------|-------------|----------|
| 7697-37-2 | nitric acid | 4 % |
| 7440-02-0 | nickel | 0.1 % |

Further Information

No data available

4. First-aid measures

Description of first aid measures

General information

Self-protection of the first aider
Take off immediately all contaminated clothing and wash it before reuse.

After inhalation

Provide fresh air.
Call a physician immediately.

After contact with skin

Wash immediately with: Water
Take off immediately all contaminated clothing and wash it before reuse.
Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids

PlasmaCAL ICP/ICPMS Standard – Nickel 1000 mcg/ml (Ni)

Revision date: 04/16/2025

Product code: 140-051-280

Page 3 of 10

apart and consult an ophthalmologist.
Remove contact lenses, if present and easy to do. Continue rinsing.
Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.
Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.
Call a physician immediately.

Most important symptoms and effects, both acute and delayed

Causes burns.
Irritant
Cough
Dyspnoea
Vomiting
Methaemoglobinaemia
Risk of serious damage to eyes.
Allergic reactions

Indication of any immediate medical attention and special treatment needed

No data available

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

Specific hazards arising from the chemical

Non-combustible liquids
Hazardous combustion products
In case of fire may be liberated:
Nitrogen oxides (NOx)

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.
In case of fire and/or explosion do not breathe fumes.
Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Move undamaged containers from immediate hazard area if it can be done safely.
Use water spray jet to protect personnel and to cool endangered containers.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe vapor or spray. Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.
Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Do not breathe dust/fume/gas/mist/vapors/spray.
Consult an expert

PlasmaCAL ICP/ICPMS Standard – Nickel 1000 mcg/ml (Ni)

Revision date: 04/16/2025

Product code: 140-051-280

Page 4 of 10

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment (PPE): see section 8

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed and suitable containers for disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear breathing apparatus if exposed to vapors/dusts/aerosols.

Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapor or spray. Use extractor hood (laboratory).

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapor or spray.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.

Hints on joint storage

National regulations

Further information on storage conditions

Keep container tightly closed.

8. Exposure controls/personal protection

PlasmaCAL ICP/ICPMS Standard – Nickel 1000 mcg/ml (Ni)

Revision date: 04/16/2025

Product code: 140-051-280

Page 5 of 10

Control parameters

Exposure limits

| CAS No | Substance | ppm | mg/m ³ | Category | Origin |
|-----------|---|-------|-------------------|---------------|------------|
| 7440-02-0 | Nickel elemental (inhalable fraction) | | 1.5 | TWA (8 h) | ACGIH-2024 |
| 7440-02-0 | Nickel metal and other compounds (as Ni) | 0.015 | - | TWA (8 h) | REL |
| 7440-02-0 | Nickel, metal and insoluble compounds (as Ni) | - | 1 | TWA (8 h) | PEL |
| 7697-37-2 | Nitric acid | 2 | 5 | TWA (8 h) | PEL |
| | | 2 | 5 | TWA (8 h) | REL |
| | | 4 | 10 | STEL (15 min) | REL |
| 7697-37-2 | Nitric acid | 2 | 5.2 | TWA (8 h) | ACGIH-2024 |
| | | 4 | 10 | STEL (15 min) | ACGIH-2024 |

Biological Exposure Indices (BEI-ACGIH)

| CAS No | Substance | Determinant | Value | Test material | Sampling time |
|-----------|-----------|-------------|--------|---------------|-------------------------------|
| 7440-02-0 | NICKEL | Nickel | 5 µg/L | urine | Post-shift at end of workweek |

Additional advice on limit values

Observe in addition any national regulations!

Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

Tested protective gloves must be worn

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of the protective agents should be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. A respiratory protection program that meets OSHA's 29 CFR 1910.134 requirements must be followed whenever workplace conditions warrant a respirator's use.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

PlasmaCAL ICP/ICPMS Standard – Nickel 1000 mcg/ml (Ni)

Revision date: 04/16/2025

Product code: 140-051-280

Page 6 of 10

9. Physical and chemical properties

Information on basic physical and chemical properties

| | | |
|---|-------------------|-------------------------|
| Physical state: | Liquid | |
| Color: | colorless | |
| Odor: | odorless | |
| Odour threshold: | No data available | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and boiling range: | | No data available |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | No data available |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | No data available |
| pH-Value: | | No data available |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | No data available |
| Solubility in other solvents | | |
| No data available | | |
| Dissolution rate: | | No data available |
| Partition coefficient n-octanol/water: | | No data available |
| Dispersion stability: | | No data available |
| Vapor pressure: | | No data available |
| Vapor pressure: | | No data available |
| Density (at 22 °C): | | 1.021 g/cm ³ |
| Relative density: | | No data available |
| Bulk density: | | No data available |
| Relative vapour density: | | No data available |
| Particle characteristics: | | No data available |

Other information

Information with regard to physical hazard classes

| | |
|---------------------------|-------------------|
| Explosive properties | |
| No data available | |
| Sustained combustibility: | No data available |
| Self-ignition temperature | |
| Solid: | No data available |
| Gas: | No data available |
| Oxidizing properties | |
| Oxidising agent | |

Other safety characteristics

| | |
|--------------------------|-------------------|
| Evaporation rate: | No data available |
| Solvent separation test: | No data available |
| Solvent content: | 0 |
| Solid content: | 0 |
| Sublimation point: | No data available |
| Softening point: | No data available |
| Pour point: | No data available |
| No data available: | |
| Viscosity / dynamic: | No data available |
| Flow time: | No data available |

PlasmaCAL ICP/ICPMS Standard – Nickel 1000 mcg/ml (Ni)

Revision date: 04/16/2025

Product code: 140-051-280

Page 7 of 10

Further Information

Corrosive to metals.

10. Stability and reactivity

Reactivity

Corrosive to metals.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals.

Conditions to avoid

No data available

Incompatible materials

Cellulose

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Fire fighting measures

Further information

No data available

11. Toxicological information

Route(s) of Entry

There are no data available on the mixture itself.

Information on toxicological effects

Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 50 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Components | | | | |
|-----------|-------------------|---------------|---------|--------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 7697-37-2 | nitric acid | | | | |
| | inhalation vapour | ATE 2,65 mg/l | | | |

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation

Serious eye damage/eye irritation: Causes serious eye damage

Sensitizing effects

May cause an allergic skin reaction (nickel)

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer (nickel)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

PlasmaCAL ICP/ICPMS Standard – Nickel 1000 mcg/ml (Ni)

Revision date: 04/16/2025

Product code: 140-051-280

Page 8 of 10

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): Metallic Nickel (CAS 7440-02-0) is listed in group 2B.

Carcinogenicity (NTP): Metallic Nickel (CAS 7440-02-0) is listed in group RAHC.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

12. Ecological information

Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential

There are no data available on the mixture itself.

Mobility in soil

There are no data available on the mixture itself.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Dispose of contents/container to hazardous or special waste collection point.
Do not allow to enter into surface water or drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

14. Transport information

U.S. DOT 49 CFR 172.101

PlasmaCAL ICP/ICPMS Standard – Nickel 1000 mcg/ml (Ni)

Revision date: 04/16/2025

Product code: 140-051-280

Page 9 of 10

UN number or ID number: UN 3264
Proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.(nitric acid)
Transport hazard class(es): 8
Packing group: III
Hazard label: 8
Special Provisions: IB3, T7, TP1, TP28
Limited quantity: 60 L

Marine transport (IMDG)

UN number or ID number: UN 3264
UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.(nitric acid)
Transport hazard class(es): 8
Packing group: III
Hazard label: 8
Special Provisions: 223 274
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-B
Segregation group: 1 - acids

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number: UN 3264
UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.(nitric acid)
Transport hazard class(es): 8
Packing group: III
Hazard label: 8
Special Provisions: A3 A803
Limited quantity Passenger: 1 L
Passenger LQ: Y841
Excepted quantity: E1
IATA-packing instructions - Passenger: 852
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 856
IATA-max. quantity - Cargo: 60 L

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

15. Regulatory information

U.S. Regulations

National regulatory information

SARA Section 302 Extremely hazardous substances:

Nitric acid (conc. < 80%) (7697-37-2): Reportable quantity = 1,000 lbs., Threshold planning quantity = 1,000 lbs.

SARA Section 304 CERCLA:

Nitric acid (conc. < 80%) (7697-37-2): Reportable quantity = 1,000 (454) lbs. (kg)

Nickel (7440-02-0): Reportable quantity = 100 (45.4) lbs. (kg)

SARA Section 311/312 Hazards:

Nitric acid (conc. < 80%) (7697-37-2): Fire hazard, Immediate (acute) health hazard

Nickel (7440-02-0): Delayed (chronic) health hazard, Immediate (acute) health hazard

SARA Section 313 Toxic release inventory:

Nitric acid (conc. < 80%) (7697-37-2): De minimis limit = 1.0 %, Reportable threshold = Standard

Nickel (7440-02-0): De minimis limit = 0.1 %, Reportable threshold = Standard

Clean Air Act Section 112(b):

Nickel (7440-02-0)

Safety Data Sheet

according to 29 CFR 1910.1200(g)

PlasmaCAL ICP/ICPMS Standard – Nickel 1000 mcg/ml (Ni)

Revision date: 04/16/2025

Product code: 140-051-280

Page 10 of 10

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

WARNING: This product can expose you to chemicals including Nickel (Metallic) (cancer), which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

16. Other information

Changes

Revision date: 04/16/2025

Revision No: 1,02

This data sheet contains changes from the previous version in section(s): 2,9,11,14.

Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)